Index

Bold type is used for contributors to this volume. The suffix e indicates editorial comment; r indicates a book review. Abbreviation: fr, fibre-reinforced.

acrylic copolymer latex, 284–8
additives, concrete, 195r, 294r
Adepegba, D. and Regan, 'Performance of steel fibre reinforced concrete in axially loaded short columns', 255–9
aerated reinforced concrete, 213–20
ageing
  fr cement composite, 165, 167
  glass fr cement boards, 95–102
  natural fr concrete, 128
anchorage
  fr composites, 161
  lightweight concrete, 67, 68
asbestos cement, 238, 240, 241
autoclaved aerated concrete, 213–20
Aziz, M. A., Paramasivam and Lee, 'Prospects for natural fibre reinforced concretes in construction', 123–32

balling of fibres, 126
Barr, B. I. G., Evans and Dowers, 'Fracture toughness of polypropylene fibre concrete', 115–22
Bartos, P., 'Review paper: Bond in fibre reinforced cements and concretes', 159–77
beams, design charts, 296r
Belgium, 138, 140
Bentur, A., 'Properties of polymer latex-cement-steel fibre composites', 283–9
bond and bonding
  in fr cements and concretes (review), 159–74
  Lytag aggregate-matrix, 280, 281
  properties of fibres under impact loading, 187–202
  in reinforced concrete, 157e
  repairs with epoxy resins, 204–8
  shear, 160, 161–7
  strength, 173–5, 188
  strength and strain rate, 199–202
  strength testing, 16, 17, 167–73, 210–11
  tensile, 160–1
book reviews, 49–51r, 147–9r, 223–5r, 294–6r
Brandt, A. M., Kasperkiewicz, Kotsovos and Newman, 'Preliminary tests of SFRC under triaxial loading', 261–6
bridges
  construction and repair using resins, 27–39 *passim*, 244, 245
  lightweight concrete, 64–5, 66, 133–45
  strain on soffits, 267
  surface reinforcement, 237–44
butyl methacrylate, 247–53

Canada, 133, 134
carbon fr composites, 169
cement paste, flexural tests and toughness, 16, 17–18
cements, 294r
  expansive, 223–4r
  standards, 50r
Charpy impact tests, 3–5, 8, 10, 11, 12
china clay waste, 94–102
Cho, R. and Kobayashi, 'Flexural behaviour of polyethylene fibre reinforced concrete', 19–25
Cividini, B., 'Long-term deflection of aerated reinforced concrete slabs', 213–21
coconut fr concrete, 127, 129
compaction methods, 42–3
composite material concept (law of mixtures), 104, 106–12 *passim*, 162
compressive strength
  dense concrete, 60, 61
  lightweight concrete, 60, 61–3
  natural fr concrete, 125
  polymer concrete, 147–53
  polymer latex-cement-steel fr composites, 284–5
  steel fr concrete, 255–8, 262, 265
  steel fr and plain mortar, 74, 75–82, 88, 90
concrete
  making, 294r, 294–5r
  properties, 49r, 294–5r
  setting time and water-cement ratios, 45–8
conferences and symposia
  'contemporary European concrete research', 231–2
  forthcoming, 53–5, 151–3, 227–30, 297–9
  'ferrocement', 292–3
  'plastics in material and structural engineering', 291–2
  'polymers in concrete', 231
Cook, D. J. and Crookham, 'Evaluation of polymer concretes using the method of energy dissipated in damage', 247–54
costs of lightweight concrete bridges, 134, 136
corrosion
  protection, 237–8
  by sea-water, 148–9r
cracks and cracking
  epoxy resins in expansion-joint nosings, 29, 31
  fr composites, 74–90 *passim*, 161–7, 179–84
  measurement, 147–8r
  natural fr concrete, 126–7
  polymer concrete, 20, 21–4, 251–3
  polymer latex-cement-steel fr composites, 283, 285–6, 287–8
  prevention by surface treatment, 237–9, 242
  repair with epoxy resin, 205–7, 207–10
creep, 63, 214
Crookham, G. D. and Cook, 'Evaluation of polymer concretes using the method of energy dissipated in damage', 247–54
curing conditions
  epoxy resins, 270, 271
  reinforced lightweight concrete, 62–3
curing membranes, epoxy resin, 207
cyclic loading tests, 179–86, 248–53, 268–71
  fatigue tests, 75, 77–82, 85–90

defoamer, 284–8 *passim*
deformation
  and bond strength, 157e
  and fibre pull-out, 166, 167
  long-term deflection of autoclaved concrete slabs, 213–20
  modulus, see stress-strain characteristics
  reinforced lightweight concrete: design considerations, 60–4
  and strain rate, 199, 201, 202
density of lightweight aggregate, 58, 59
design
  codes, 49r, 58, 142
  fr cement composites, 112–13
  fracture mechanics in, 223r
  lightweight concrete bridges, 64–6,

Index

Bold type is used for contributors to this volume. The suffix e indicates editorial comment; r indicates a book review. Abbreviation: fr, fibre-reinforced.

acrylic copolymer latex, 284–8
additives, concrete, 195r, 294r
Adepegba, D. and Regan, 'Performance of steel fibre reinforced concrete in axially loaded short columns', 255–9
aerated reinforced concrete, 213–20
ageing
  fr cement composite, 165, 167
  glass fr cement boards, 95–102
  natural fr concrete, 128
anchorage
  fr composites, 161
  lightweight concrete, 67, 68
asbestos cement, 238, 240, 241
autoclaved aerated concrete, 213–20
Aziz, M. A., Paramasivam and Lee, 'Prospects for natural fibre reinforced concretes in construction', 123–32

balling of fibres, 126
Barr, B. I. G., Evans and Dowers, 'Fracture toughness of polypropylene fibre concrete', 115–22
Bartos, P., 'Review paper: Bond in fibre reinforced cements and concretes', 159–77
beams, design charts, 296r
Belgium, 138, 140
Bentur, A., 'Properties of polymer latex-cement-steel fibre composites', 283–9
bond and bonding
  in fr cements and concretes (review), 159–74
  Lytag aggregate-matrix, 280, 281
  properties of fibres under impact loading, 187–202
  in reinforced concrete, 157e
  repairs with epoxy resins, 204–8
  shear, 160, 161–7
  strength, 173–5, 188
  strength and strain rate, 199–202
  strength testing, 16, 17, 167–73, 210–11
  tensile, 160–1
book reviews, 49–51r, 147–9r, 223–5r, 294–6r
Brandt, A. M., Kasperkiewicz, Kotsovos and Newman, 'Preliminary tests of SFRC under triaxial loading', 261–6
bridges
  construction and repair using resins, 27–39 *passim*, 244, 245
  lightweight concrete, 64–5, 66, 133–45
  strain on soffits, 267
  surface reinforcement, 237–44
butyl methacrylate, 247–53

Canada, 133, 134
carbon fr composites, 169
cement paste, flexural tests and toughness, 16, 17–18
cements, 294r
  expansive, 223–4r
  standards, 50r
Charpy impact tests, 3–5, 8, 10, 11, 12
china clay waste, 94–102
Cho, R. and Kobayashi, 'Flexural behaviour of polyethylene fibre reinforced concrete', 19–25
Cividini, B., 'Long-term deflection of aerated reinforced concrete slabs', 213–21
coconut fr concrete, 127, 129
compaction methods, 42–3
composite material concept (law of mixtures), 104, 106–12 *passim*, 162
compressive strength
  dense concrete, 60, 61
  lightweight concrete, 60, 61–3
  natural fr concrete, 125
  polymer concrete, 147–53
  polymer latex-cement-steel fr composites, 284–5
  steel fr concrete, 255–8, 262, 265
  steel fr and plain mortar, 74, 75–82, 88, 90
concrete
  making, 294r, 294–5r
  properties, 49r, 294–5r
  setting time and water-cement ratios, 45–8
conferences and symposia
  'contemporary European concrete research', 231–2
  forthcoming, 53–5, 151–3, 227–30, 297–9
  'ferrocement', 292–3
  'plastics in material and structural engineering', 291–2
  'polymers in concrete', 231
Cook, D. J. and Crookham, 'Evaluation of polymer concretes using the method of energy dissipated in damage', 247–54
costs of lightweight concrete bridges, 134, 136
corrosion
  protection, 237–8
  by sea-water, 148–9r
cracks and cracking
  epoxy resins in expansion-joint nosings, 29, 31
  fr composites, 74–90 *passim*, 161–7, 179–84
  measurement, 147–8r
  natural fr concrete, 126–7
  polymer concrete, 20, 21–4, 251–3
  polymer latex-cement-steel fr composites, 283, 285–6, 287–8
  prevention by surface treatment, 237–9, 242
  repair with epoxy resin, 205–7, 207–10
creep, 63, 214
Crookham, G. D. and Cook, 'Evaluation of polymer concretes using the method of energy dissipated in damage', 247–54
curing conditions
  epoxy resins, 270, 271
  reinforced lightweight concrete, 62–3
curing membranes, epoxy resin, 207
cyclic loading tests, 179–86, 248–53, 268–71
  fatigue tests, 75, 77–82, 85–90

defoamer, 284–8 *passim*
deformation
  and bond strength, 157e
  and fibre pull-out, 166, 167
  long-term deflection of autoclaved concrete slabs, 213–20
  modulus, see stress-strain characteristics
  reinforced lightweight concrete: design considerations, 60–4
  and strain rate, 199, 201, 202
density of lightweight aggregate, 58, 59
design
  codes, 49r, 58, 142
  fr cement composites, 112–13
  fracture mechanics in, 223r
  lightweight concrete bridges, 64–6,

145–6
marine structures, 66, 147r
microconcrete models, 49–50r
plastics, 291–2
reinforced concrete, 50r, 57–69, 296r
reinforced lightweight concrete, 57–69
shell roofs, 51r
for wind and earthquake, 147r
Dowers, R. C., Barr and Evans, 'Fracture toughness of polypropylene fibre concrete', 115–22
ductility, 23–5, 165
dynamic tests, see under testing methods

earthquake resistance, 23–5, 127, 130, 147r
elastic shear bond, and failure of composites, 160–7 *passim*, 170
elasticity, see deformation, stress-strain characteristics
embedment length, fibre, 16, 17, 164–7 *passim*, 173
energy
absorption by fibres in pull-out, 193, 199, 200
conservation and plastics, 292
dissipation in damage of polymer concrete, 247–53
epoxy resins
in construction and repair of North Sea oil structures, 203–11
mortar, 29–35 *passim*
shear strength, 267–71
Europe (see also individual countries)
contemporary concrete research, 231–2
design codes, 49r, 58, 59
lightweight concrete bridges, 136
Evans, T. J., Majumdar and Ryder, 'A semi-dry method for the production of lightweight glass-fibre-reinforced gypsum', 41–4
Evans, W. T., Barr and Dowers, 'Fracture toughness of polypropylene fibre concrete', 115–22
expansion-joint nosings, 28–34
expansive cements, 223–4r

failure (see also cracking, fracture)
bond, in fr composites, 157e, 160–7, 173–4, 199 (see also pull-out)
epoxy resin expansion-joint nosings, 29, 31, 33–4
glass fr composites, 174
lightweight and dense concrete, 60, 61
lightweight road surfacings, 34–5
polyethylene fr composites, 22–3
steel fr composites, 14, 17, 174
fatigue strength of plain and steel fr mortar, 75, 77–82, 85–90
ferrocement, 149r, 235e, 292–3
fibre-reinforced composites, 157e
bond in, 159–74
design, 112–13
mechanical properties, 224–5r
polymer latex, 283–9
strength calculations, 103–12, 112–13
for surface reinforcement, 237–45
fibre-reinforced concrete
flexural behaviour, 19–25
impact strength studies, 3–12
strain rate and pull-out behaviour, 187–202
tensile strength and toughness, 13–18
fibre-reinforced mortar, 74–90
fillers, inorganic, 42, 93–102
fire resistance, 66–7
flexural strength
fibre cement composites, 17–18, 157e
glass fr cement with inorganic filler, 95–6, 98, 101–2
lightweight glass fr gypsum, 42, 43
natural fr concrete, 125
polyethylene fr concrete, 19–25
polymer latex-cement-steel fr composites, 285
polypropylene fr cement composites, 240, 241, 243, 244
theoretical relationships in fr composites, 107–13 *passim*
flexural toughness of natural fr concrete, 125, 126, 127
fly ash (Lytag), 273–82
fracture (see also cracking)
glass fr cement with inorganic filler, 95, 100–1, 102
mechanics, 223r
plain and fr cement-based materials, 75
polyethylene fr concrete, 21, 22, 23
polypropylene fr concrete, 115–22
steel fr concrete, 262, 265, 266
France, 65, 66, 138, 141, 142
frictional shear bond, 160–7 *passim*
Fuller's Earth, 94–102

Galloway, J. W., Raithby and Williams, 'Polypropylene-reinforced cement composites for surface reinforcement of concrete structures', 237–46
Ganeshalingam, R., Paramasivam and Nathan, 'An evaluation of theories and a design method of fibre cement composites', 103–14
Garrett, G. G. and Morris, 'A comparative study of the static and fatigue behaviour of plain and steel fibre reinforced mortar in compression and direct tension', 73–91
Germany, Federal Republic, 65, 136–8
Gerritse, A., 'Design considerations for reinforced lightweight concrete', 57–69
glass fr cement composites, 149r
bond strength tests, 169, 172, 174
strain rate and pull-out tests, 187, 189, 193, 196, 199, 200, 202
surface reinforcement, 238, 240–5 *passim*
glass fr gypsum, 41–4
Gokoz, U. N. and Naaman, 'Effect of strain rate on the pull-out behaviour of fibres in mortar', 187–202
gypsum composite, lightweight, 41–4

Hughes, B. P., 'Experimental test results for flexure and direct tension of fibre cement composites', 13–18

impact strength
fr concrete, 3–12
glass fr cement boards, 95–102 *passim*
natural fr concrete, 127
Italy, 33–4, 94
Izod impact tests, 3–5, 12

Japan, 145
jute fr concrete, 127

Kasperkiewicz, J., Brandt, Kotsovos and Newman, 'Preliminary tests of SFRC under triaxial loading', 261–6
Keer, J. G., 'Behaviour of cracked fibre composites under limited cyclic loading', 179–86
Kobayashi, K. and Cho, 'Flexural behaviour of polyethylene fibre reinforced concrete', 19–25
Kotsovos, M. D., Brandt, Kasperkiewicz and Newman, 'Preliminary tests of SFRC under triaxial loading', 261–6

Larsinos, Ch. and Stefanou, 'Influence of mixing water on the setting time of concrete', 45–8
Lee, S. L., Aziz and Paramasivam, 'Prospects for natural fibre reinforced concretes in construction', 123–32
library resources, 295–6r
lightweight aggregates
microstructure of Lytag, 273–82
properties and applications, 71e
lightweight boards, natural fr, 128–9
lightweight concrete, 71e
design for reinforced, 57–69
drying out, 282
long-term deflection of slabs, 213–20
lightweight glass fr gypsum, 41–2
loading/reloading tests, 179–86,

248–53, 268–71
loading velocity and pull-out behaviour, 187–202
Lydon, F. D. and Raithby, 'Lightweight concrete in highway bridges', 133–45
Lytag aggregate, microstructure, 273–82

Macdonald, M. D., 'Strength of bonded shear joints subjected to movement during cure', 267–72
Majumdar, A. J., Evans and Ryder, 'A semi-dry method for the production of lightweight glassfibre-reinforced gypsum', 41–4
Majumdar, A. J. and Singh, 'Properties of grc containing inorganic fillers', 93–102
Mander, R. F., 'Use of resins in road and bridge construction and repair', 27–39
marine structures, 66
concrete oil platforms, 203–7
concrete performance and durability, 148–9r
ferrocement, 149r, 235e
lightweight concrete ships, 134
offshore piling, 51r
physical models, 147r
resin repairs, 205–7
methyl methacrylate, 247–53
microcracking in polymer concrete, 251–2
microstructure
fibre orientation in fr concrete, 13, 15, 17
glass fr cement board, 95, 100–1, 102
Lytag aggregate, 273–82
polyethylene filaments, 20
steel fr concrete, 262, 265, 266
mixtures, law of (composite material concept), 104, 106–12 *passim*, 162
models
for marine design, 147r
microconcrete, 49–50r
modules of deformation, see stress-strain characteristics
modulus of rupture, see flexural strength, tensile strength
Moksnes, J., 'Resins in construction and repair of North Sea oil structures', 203–11
Morris, A. D. and Garrett, 'A comparative study of the static and fatigue behaviour of plain and steel fibre reinforced mortar in compression and direct tension', 73–91
mortar, static and fatigue behaviour, 74–90 *passim*
motorways
Italian, 33–4
lightweight concrete bridges, 138–44
M2, 29
M5, Quinton Interchange, 38, 267
M25, Swanley bridge, 38, 39
strain on bridge soffits, 267
viaduct near Haarlem, 64

Naaman, A. E. and Gokoz, 'Effect of strain-rate on the pull-out behaviour of fibres in mortar', 187–202
Nathan, G. K., Ganeshalingam and Paramasivam, 'An evaluation of theories and a design method of fibre cement composites', 103–14
natural fr concretes, 123–30
Netherlands
lightweight concrete bridges, 64, 65, 138, 139
lightweight concrete buildings, 65, 66, 67
lightweight concrete code, 58, 59
Newman, J. B., Brandt, Kasperkiewicz and Kotsovos, 'Preliminary tests of SFRC under triaxial loading', 261–6
North Sea, oil structures, 203–11
nosings, bridge expansion-joint, 28–34

orientation, fibre
and failure of uncracked composites, 161, 162
and pull-out tests, 171
in theory of fr composites, 104, 105, 108, 113

Paramasivam, P., Aziz and Lee, 'Prospects for natural fibre reinforced concretes in construction', 123–32
Paramasivam, P., Ganeshalingam and Nathan, 'An evaluation of theories and a design method of fibre cement composites', 103–14
piles, offshore, 51r
plastics, 291–2 (see also epoxy resins, polymer concrete, resins, resin cements and individual polymers)
platforms, concrete, 203–4
resin repairs, 205–7
Poisson contractions, 165–6, 167
Poland, 136
polyester resin mortar, 31–2, 34–5
polyethylene fr concrete, 19–25
polymer concrete, 231r, 247–53 (see also individual polymers)
polymer latex in fr cement composites, 283–9
polypropylene fr cement composites
cyclic loading of cracked, 180, 184–6
fracture strength, 115–22
strain rate and pull-out, 187–8, 189, 193, 197–202 *passim*
surface reinforcement, 239–45
testing methods, 169
polyurethane resin mortar, 32
porosity
Lytag, 273, 277–80, 281–2
polymer latex-cement-steel fr composites, 287
pozzolana filler, 94–102
flyash (Lytag), 273–82
pressing methods, 42–3
prestressed concrete
long-term deflection of slabs, 213–20
microconcrete design models, 49–50r
pull-out
behaviour, and strain rate, 187–202
and crack stabilisation, 82, 85, 126–7
mechanism, and failure of fr composites, 160, 164–7
strength, 16, 17, 111, 157e
testing methods, 16, 17, 167–74, 210

Radomski, K. D., 'Application of the rotating impact machine for testing fibre-reinforced concrete', 3–12
Raithby, K. D., Galloway and Williams, 'Polypropylene-reinforced cement composites for surface reinforcement of concrete structures', 237–46
Raithby, K. D. and Lydon, 'Lightweight concrete in highway bridges', 133–45
Regan, P. E. and Adepegba, 'Performance of steel fibre reinforced concrete in axially loaded short columns', 255–9
reinforced concrete, 157e (see also fibre-reinforced concrete)
aerated, long-term deflection of slabs, 213–20
design, 50r, 57–69, 296r
expansion-joint nosings, 32–3
microconcrete design models, 49–50r
slabs, 213–20, 225r
reinforcement
of existing structures with resin adhesives, 37–9
of surfaces with polypropylene fr cement composites, 237–45
repairs
North Sea concrete platforms, 203–11
road surfaces, 27, 34–9 *passim*
resins, 231r (see also epoxy resins)
resin cements, 27–39
application, 35, 39
roads, 27, 34–9 *passim* (see also bridges, motorways)
roofs, shell, 51r
rotating impact machines, 6–12
Ryder, J. F., Evans and Majumdar, 'A semi-dry method for the production of lightweight glass-fibre-reinforced gypsum', 41–4

sealing with epoxy resin, 204, 207, 208
setting time of concrete, 45–8
shear strength, 13, 267–71
shell roofs, 51r
shrinkage
  aerated concrete, 217, 218
  compensating concretes, 223–4r
  fr composites, 166, 167
silica filler (quarry fines), 94–102
Singh, B. and Majumdar, 'Properties of grc containing inorganic fillers', 93–102
sisal fr concrete, 127
slabs
  design charts, 296r
  long-term deflection of aerated reinforced concrete, 213–20
  reinforced concrete, 225r
slip, see deformation
spacing concept in fr composites, 104–6, 107, 109, 110
Statfjord oil platforms, 203–4, 207, 208–10
steel bridge decks, lightweight surfacings for, 34–5
steel fr composites
  containing polymer latex, 283–9
  testing methods for bond strengths, 168, 174
steel fr concrete, 157e
  axially loaded short columns, 255–8
  expansion-joint nosings, 33
  flexural behaviour, 21, 22
  impact strength, 7–11 *passim*
  strain rate and pull-out tests, 187, 189, 192–5 *passim*, 198–202
  tensile strength and toughness, 13–18
  triaxial loading tests, 261–6
steel fr mortar, static and fatigue behaviour, 74–90
steel reinforced concrete, 157e
Stefanou, G. D. and Larsinos, 'Influence of mixing water on the setting time of concrete', 45–8
strain rate, and pull-out behaviour, 187–202
strength (see also compressive strength, fatigue strength, flexural strength, impact strength, shear strength, tensile strength)
  fibre composites, 224–5r
stress-strain characteristics
  aerated reinforced concrete slabs, 214–16
  and cyclic loading, 179–86
  and failure of uncracked composites, 162, 164
  fibre cement composites, 13–18, 104–7
  glass fr cement with inorganic fillers, 95
  lightweight concrete, 63–4, 66, 69
  plain and steel fr mortar, 73–90
  'Poisson effects' in failure of cracked composites, 166–7
  polyethylene fr concrete, 20–5
  polymer latex-cement-steel fr composites, 285–7, 287–8
  polypropylene fr cement, 240, 241
  polypropylene fr concrete, 118, 120, 121
  steel fr concrete, 257–8, 262, 264
structure, see microstructure
styrene-butadiene copolymer latex, 284–8
sugarcane bagasse fr concrete, 128, 129
surfaces
  reinforcement on concrete structures, 237–45
  repair, 27, 34–9 *passim*, 203–11 *passim*
  skid-resistant, 29, 35–6
Swamy, R. N., 1e, 71e, 157e, 235e
Swamy, R. N. and Lambert, 'The microstructure of Lytag aggregate', 273–82

temperature stresses, 6
tensile bond testing, 171–2
tensile strength
  fr cement composites, 13–18, 104–13 *passim*, 157e, 160, 165–7, 174
  glass fr cement boards, 95, 97, 98–102 *passim*
  lightweight concrete, 61, 62–3, 67, 69
  natural fr concrete, 125, 128
  polymer latex-cement-steel fr composites, 284–5
  polypropylene fr cement composites, 240–3 *passim*
  steel fr concrete, 262, 265
  steel fr and plain mortar, 74, 75, 82, 85–90
  and strain rate, 199–202
testing methods, 49r, 295r
  compressive strength, 75, 76, 256–8, 284–6
  carbon fr composites, 169
  cement, 50r
  configurations for, 170–1
  cyclic loading, 184–6, 248–53
  dynamic impact strength, 3–12, 187–99
  energy dissipated in damage, 248–53
  epoxy resins, 210–11, 268–71
  flexural strength, 16, 17–18
  fracture toughness, 115–22
  glass fr composites, 169, 172
  microconcrete models, 49–50r
  microstructure and absorption characteristics of Lytag, 274–82
  polymer-cement-steel fr composites, 284–6
  polypropylene fr composites, 168, 184–6
  pull-out, 167–71, 172, 173, 210
  quality control of epoxy resins, 210–11
  shear strength of epoxy resin bonds, 268–71
  steel fr composites, 75, 76, 168, 256–8, 284–6
  tensile bond, 171–2
  tensile strength, 13–17, 75, 76, 284–6
  triaxial loading, 261–6
toughness
  fibre cement composites, 15, 17, 18
  natural fr concrete, 125
  polypropylene fr concrete, 115–22

UK
  Birmingham, M5: Quinton Interchange, 38, 267
  lightweight concrete bridges, 133–45
  London: Gallows Corner flyover, 34–5
  M2 motorway, 29
  Swanley, M25: bridge, 38, 39
USA
  design codes, 49r
  lightweight concrete bridges, 133, 134–6
USSR, 133, 136

water
absorption characteristics of Lytag, 280–2
  in concrete, 294r, 295r
  penetration tests, 46–7
water-cement ratios, and setting time, 45–8
weathering
  glass fr cement boards, 95–7
  natural fr concrete, 128
  tests on surface reinforcement composites, 240–1, 243, 244
Williams, R. I. T., Raithby and Galloway, 'Polypropylene-reinforced cement composites for surface reinforcement of concrete structures', 237–46
wind resistance, design for, 147r